

Outdoor

NC.S027.00 / TUS.NC.S027

Typology: Suspension

Description / Descripción

Hanging lamp with shade made of high quality ceramic fired at 1040°.
Finished with slip surrounding, available in three different colors.
Matt opal blown glass sphere diffuser.
Ceiling rosette and black electric cable.
Luminaire suitable for outdoor use. IP54

*Luminaria de suspensión con pantalla fabricada en cerámica de alta calidad cocida a 1040°.
Acabada con engobe vitrificado disponible en tres tonos diferentes.
Difusor de esfera de vidrio soplado en opal mate.
Florón y cable eléctrico negro.
Luminaria apta para su uso en exteriores. IP54*

Light Source / Fuente de luz

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)


European version

NC.S027G 1xE27 LED 14W
NC.S027T
NC.S027W

USA version

TUS.NC.S027G 1x13W LED Medium base 120V
TUS.NC.S027T
TUS.NC.S027W

Bulb included / Bombilla incluida



Packaging / Embalaje

1 box


53x53x35 cm / 0,09 m³
21"x21"x14" / 3,1 ft³

Peso neto: 6 Kg
Net weight: 13 lb

Materials & Finishings / Materiales y acabados

Ceramic shade with slip surrounding
Pantalla de cerámica con engobe vitrificado

Available in three different finishes
Disponible en tres acabados diferentes



Matt opal glass
Vidrio opal mate

Black metal canopy
Florón lacado negro

*(RAL 9005)

Black electrical cable
Cable eléctrico negro

Certifications:

CE
IP54

USA Certifications:

ETL
Intertek
4006546

Wet
Location

Suitable for outdoor use / Apta para uso exterior

Outdoor

NC.S016.00 / TUS.NC.S016

Typology: Suspension

Description / Descripción

Hanging lamp with shade made of high quality ceramic fired at 1040°.
Finished with slip surrounding, available in three different colors.
Matt opal blown glass sphere diffuser.
Ceiling rosette and black electric cable.
Luminaire suitable for outdoor use. IP54

*Luminaria de suspensión con pantalla fabricada en cerámica de alta calidad cocida a 1040°.
Acabada con engobe vitrificado disponible en tres tonos diferentes.
Difusor de esfera de vidrio soplado en opal mate.
Florón y cable eléctrico negro.
Luminaria apta para su uso en exteriores. IP54*

Light Source / Fuente de luz

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)

European version

NC.S016G 1xE27 LED A45 6W
NC.S016T
NC.S016W

USA version

TUS.NC.S016G 1x9W LED Medium base 120V
TUS.NC.S016T
TUS.NC.S016W

Bulb included / Bombilla incluida

Packaging / Embalaje

1 box

32x32x25 cm / 0,025 m³
13"x13"x10" / 0,89 ft³

Peso neto: 3 Kg
Net weight: 6,6 lb

Materials & Finishings / Materiales y acabados

Ceramic shade with slip surrounding
Pantalla de cerámica con engobe vitrificado

Available in three different finishes
Disponible en tres acabados diferentes



Matt opal glass
Vidrio opal mate

Black metal canopy
Florón lacado negro

*(RAL 9005)

Black electrical cable
Cable eléctrico negro

Certifications:



USA Certifications:




Wet Location

Suitable for outdoor use / Apta para uso exterior




Compositions


Indoor use only / Solo para uso interior




European version	
 NC.S203G	 3xE27 LED A45 6W
 NC.S203T	
 NC.S203W	
USA version	
 TUS.NC.S203G	 3x9W LED Medium base 120V
 TUS.NC.S203T	
 TUS.NC.S203W	



European version		
	NC.S205G	 5x E27 LED A45 6W
	NC.S205T	
	NC.S205W	
USA version		
	TUS.NC.S205G	 5x 9W LED Medium base 120V
	TUS.NC.S205T	
	TUS.NC.S205W	



European version	
 NC.S303G	 3x E27 LED A45 6W
 NC.S303T	
 NC.S303W	
USA version	
 TUS.NC.S303G	 3x 9W LED Medium base 120V
 TUS.NC.S303T	
 TUS.NC.S303W	



European version	
 NC.S305G	 <i>5x E27 LED A45 6W</i>
 NC.S305T	
 NC.S305W	
USA version	
 TUS.NC.S305G	 <i>5x 9W LED Medium base 120V</i>
 TUS.NC.S305T	
 TUS.NC.S305W	