EQUIS

EQ.C035.14

Assembly instructions /
Instructions de montage

el torrent

EL TORRENT IL·LUMINACIÓ S.L.

C/ Curreró 8, 17830
Mieres (Girona) Spain

T. +34 972 680 291
F. +34 972 680 011
eltorrent@eltorrent.com

www.eltorrent.com

Thanks for buying our product.
We hope you will enjoy it.

Merci d'avoir acheté notre produit.
Nous espérons que vous en profiterez pleinement.

Light for indoor use only
Seulement por éclairege intérieur

Input voltage: 120-277V / 50-60Hz
Tension d'entrée: 220-277V / 50-60Hz

EQ.C035.16	LED 48W · 24V 3700lm · 2700K TRIAC dimmable

IP20

DAMP
Location

- The safety of this fixture is only guaranteed if the following instructions have been executed.
- Always disconnect power before working on fixture.
- Replacement bulbs must be of same type and wattage as specified in instructions.
- Metal surfaces, glass or other parts of fixture may be cleaned with a soft damp cloth and mild detergent.

EN

- La seguríte du montage ets seulement garanti si vouz avez respecter les instructions suivants.
- Avant de monter déconnecter le courant.
- Les ampoules de remplacement doivent être de même type et la puissance en watts que spécifié dans des instructions.
- Des surfaces métalliques, le verre ou d'autres parties peuvent être nettoyés avec un tissu humide doux et un détergent doux.


FR

Intertek

UL1598.
ELECTRICAL INSTRUCTIONS FOR FLUSHMOUNTS, WALL SCONCES AND PENDANTS.
Save these instructions. Min 90c supply conductors.
Caution risk of fire. Use stated watt or smaller. Caution risk of shock. Disconnect power before servicing.
To reduce the risk of a burn during replacing, allow the bulb to cool down. Allowed for damp locations.
This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazard involved.
Warning: all wires and wire nuts used in the installation must be rated 195F (90C) for indoor use only. This product must be installed by a qualified electrician.


UL8750.
ELECTRICAL INSTRUCTIONS FOR LAMPS WITH LED TECHNOLOGY.
Save these instructions. Min 90c supply conductors.
Caution risk of fire. Use stated watt or smaller. Caution risk of shock. Disconnect power before servicing.
Isn't allowed to charge or replace any of the components involved on this piece without the autorization and instructions from the manufacturer.
Allowed for damp locations. This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazard involved.
Warning: all wires and wire nuts used in the installation must be rated 195F (90C) for indoor use only. This product must be installed by a qualified electrician.

1




Adjust the height / Ajuster la hauteur

2




Fix the steel support cables (check p.2) /
Fixer les supports de câbles en acier (voir p.2)


3




4




5




1



2



3



4

