

Koord

Design by Eloy Puig

Koord
Design by Eloy Puig

el torrent

INDOOR / OUTDOOR


KD.F017 / KD.F117

FLOOR

Description Descripción

Available in indoor or outdoor versions depending on the model, featuring a braided acrylic cord shade in multiple colours and a black lacquered metal structure. The table version incorporates a rechargeable LED system.

Disponible en versiones de interior o exterior según modelo, con pantalla de cordón trenzado acrílico en varios colores y estructura metálica lacada en negro. La versión de sobremesa incorpora un sistema LED recargable.



Light Source Fuente de luz

Voltage Voltaje 220-230V / 50-60Hz
120V / 60Hz (USA)

EUROPE VERSION

Indoor	Outdoor
KD.F017.14	KD.F117.16
F LED 15W 2700K 1200lm	F LED 15W 2700K 1200lm Dimmable TRIAC

USA VERSION

Indoor	Outdoor
TUS.KD.017.14	TUS.KD.117.14
LED 10W 120V 2700K 880lm	LED 10W 120V 2700K 880lm Dimmable TRIAC

Module LED included Módulo LED incluido

Indoor: IP 20 — DAMP Location

Outdoor: IP 54 — WET Location

Packaging Embalaje

1 box 1 caja

42x42x100 cm / 0,18 m³
17"x17"x40" / 6,5 ft³

Peso bruto: 9 kg
Gross weight: 19,8 lb

Materials & Finishes Materiales y acabados

Black lacquered structure Estructura lacada en negro

For available colors check general catalogue
Colores disponibles en el catálogo general

Braided acrylic cord shade Pantalla de cordón tranzado acrílico

Black electrical cable Cable eléctrico negro

Intertek

EL TORRENT IL·LUMINACIÓ S.L - C/ Curreró 8, 17830 Mieres (Girona) Spain T. +34 972 680 291, 972 682 037 F. +34 972 680 011 - eltorrent@eltorrent.com - www.eltorrent.com

Koord
Design by Eloy Puig

el torrent

INDOOR / OUTDOOR


KD.F006 / KD.F106

FLOOR

Description Descripción

Available in indoor or outdoor versions depending on the model, featuring a braided acrylic cord shade in multiple colours and a black lacquered metal structure. The table version incorporates a rechargeable LED system.

Disponible en versiones de interior o exterior según modelo, con pantalla de cordón trenzado acrílico en varios colores y estructura metálica lacada en negro. La versión de sobremesa incorpora un sistema LED recargable.



Light Source Fuente de luz

Voltage Voltaje 220-230V / 50-60Hz
120V / 60Hz (USA)

EUROPE VERSION

Indoor	Outdoor
KD.F006.14	KD.F106.16
F LED 15W 2700K 1200lm	F LED 15W 2700K 1200lm Dimmable TRIAC

USA VERSION

Indoor	Outdoor
TUS.KD.006.14	TUS.KD.106.14
LED 15W 120V 2700K 1200lm	LED 15W 120V 2700K 1200lm Dimmable TRIAC

Module LED included Módulo LED incluido

Indoor: IP 20 — DAMP Location

Outdoor: IP 54 — WET Location

Packaging Embalaje

1 box 1 caja

45x45x155 cm / 0,31 m³
17”x17”x40” / 6,5 ft³

Peso bruto: 9 kg
Gross weight: 19,8 lb

Materials & Finishes Materiales y acabados

Black lacquered structure Estructura lacada en negro

For available colors check general catalogue
Colores disponibles en el catálogo general

Braided acrylic cord shade Pantalla de cordón tranzado acrílico

Black electrical cable Cable eléctrico negro

Intertek

EL TORRENT IL·LUMINACIÓ S.L - C/ Curreró 8, 17830 Mieres (Girona) Spain T. +34 972 680 291, 972 682 037 F. +34 972 680 011 - eltorrent@eltorrent.com - www.eltorrent.com