


Mikado

Design by Andrés Arden

Mikado
Design by Andrés Arden

el torrent

INDOOR



MK.S035

SUSPENSION

Description Descripción

Luminaire with japanese paper onto celulose or micro-pleated parchment shade and black lacquered metal structure. Lighting system using a bulb or LED module. Black electrical cable and canopy.

Luminaria con pantalla de papel japonés sobre celulosa o pergamino microplisado y estructura metálica lacada de color negro. Sistema de iluminación mediante bombilla o módulo LED. Cable eléctrico y florón en color negro.

Light Source Fuente de luz

Voltage	Voltaje	220–230V / 50–60Hz 120V / 60Hz (USA)

EUROPE VERSION

MK.S035.00
E 1 x E27 LED 8W 2700K

MK.S035.16
D LED 4.5W 500mA 2700K 920lm
Dimmable TRIAC

USA VERSION

TUS.MK.S035.02
1 x 9W LED medium base 120V

TUS.MK.S035.16
LED 4.5W 500mA 2700K 920lm
Dimmable TRIAC

Bulb not included Bombilla no incluida
Module LED included Módulo LED incluido

Packaging Embalaje

1 box 1 caja

30×30×39 cm / 0,0351 m³
12"x12"x15" / 1,2395 ft³

Peso bruto: 1 kg
Gross weight: 2,2 lb

Materials & Finishes Materiales y acabados

Black lacquered metal structure	Estructura metálica lacada en negro
Standard shades	Pantallas estandar

AJN / Japanese paper
AJN / Papel japonés

AMP / Micro-pleated perchment
AMP / Pergamino microplisado

Black electrical cable	Cable eléctrico negro
Black canopy	Florón negro


IP 20 · DAMP Location · Intertek Pending

Mikado

Design by Andrés Arden

el torrent

INDOOR



MK.S051

SUSPENSION

Description Descripción

Luminaire with japanese paper onto celulose or micro-pleated parchment shade and black lacquered metal structure. Lighting system using a bulb or LED module. Black electrical cable and canopy.

Luminaria con pantalla de papel japonés sobre celulosa o pergamino microplisado y estructura metálica lacada de color negro. Sistema de iluminación mediante bombilla o módulo LED. Cable eléctrico y florón en color negro.

Light Source Fuente de luz

Voltage Voltaje: 220–230V / 50–60Hz, 120V / 60Hz (USA)

EUROPE VERSION

MK.S051.00
E 1 x E27 LED 8W 2700K

MK.S051.16
D LED 4.5W 500mA 2700K 920lm
Dimmable TRIAC

USA VERSION

TUS.MK.S051.02
1 x 9W LED medium base 120V

TUS.MK.S051.16
LED 4.5W 500mA 2700K 920lm
Dimmable TRIAC

Bulb not included Bombilla no incluida
Module LED included Módulo LED incluido

Packaging Embalaje

1 box 1 caja

35×35×70 cm / 0,08 m³
14"x14"x28" / 2,825 ft³

Peso bruto: 1,5 kg
Gross weight: 3,3 lb

Materials & Finishes Materiales y acabados

Black lacquered metal structure — Estructura metálica lacada en negro

Standard shades — Pantallas estandar

AJN / Japanese paper
AJN / Papel japonés

AMP / Micro-pleated perchment
AMP / Pergamino microplisado

Black electrical cable — Cable eléctrico negro

Black canopy — Florón negro

IP 20 · DAMP Location · Intertek Pending